

PLEASE ADDRESS ANY CORRESPONDENCE TO WATER SUPPLY (NETWORK) DEPARTMENT

Your Ref :

Our Ref : WSN 00300/57

Tel : 67313518 Fax : 67313023

Date : 24 Nov 09

E-mail : loh_mun_wah@pub.gov.sg

(See Distribution List)

Dear Sir/Madam

PUB'S STIPULATED REQUIREMENTS AND STANDARDS FOR POLYPROPYLENE PIPES AND FITTINGS

We have recently received feedbacks that some polypropylene pipes and fittings available on sale and supply in Singapore have not been tested to comply fully with the requirements and Standards stipulated by PUB. The minimum tests and requirements that polypropylene water pipes and fittings must be tested to comply with and conditions that they must comply with are as listed in the Appendix attached herewith for your reference.

2 We also wish to take this opportunity to highlight and remind the following:

- i. It is the Professional Engineer and the Licensed Plumber's responsibility for ensuring that the water pipes and fittings used by you in your water service installation projects comply with PUB's stipulated standards and requirements always. You are also required to declare this in the Notification of Water Service Work as well as the Certificate of Satisfactory Completion of Water Service Work which you submit to PUB prior to the commencement and upon completion of the water service work undertaken by you.
- ii. all new premises and existing premises undergoing renovation including domestic and non-domestic premises, shall only be installed with water fittings and products such as taps, dual flush Low Capacity Flushing Cisterns, urinal flush valves and waterless urinals that are labelled with at least one or more ticks under the Mandatory Water Efficiency Labelling Scheme (MWELS). This came into effect since 1 July 2009.